


曲线元素表

交点号	交点坐标		交点桩号	转角值	曲线要素值(米)					
	X(N)	Y(E)			半径	缓和曲线长	切线长度	曲线长度	外距	修正值
JD0	3322925.484	490049.849	K0+020							
JD1	3322930.633	490024.163	K0+046.197	5°34'13.1(Y)	300		14.595	29.166	0.355	0.023
JD2	3322940.592	489991.393	K0+080.424	4°37'55.2(Z)	250		10.111	20.211	0.204	0.011
JD3	3322944.958	489971.323	K0+100.952	4°08'01.7(Y)	288.956		10.428	20.848	0.188	0.009
JD4	3322955.464	489935.641	K0+138.139	39°46'46.1(Z)	25		9.045	17.357	1.586	0.733
JD5	3322936.893	489892.669	K0+184.221	5°08'43.9(Z)	600		26.902	53.768	0.603	0.036
JD6	3322913.763	489850.082	K0+232.647	9°45'16.1(Z)	200		17.066	34.050	0.727	0.082
JD7	3322833.502	489748.314	K0+362.174	24°06'39.2(Y)	120		25.628	50.498	2.706	0.759
JD8	3322815.570	489677.193	K0+434.763	6°45'48.5(Y)	200		11.818	23.609	0.349	0.027
JD9	3322812.518	489653.654	K0+458.471	13°11'27(Z)	103.073		11.918	23.730	0.687	0.105
JD10	3322802.916	489628.078	K0+005.685	3°55'48.3(Y)	449.143		15.401	30.791	0.264	0.012
JD11	3322784.321	489565.900	K0+070.571	36°14'59.3(Z)	85		27.823	53.778	4.438	1.869
JD12	3322714.173	489512.849	K0+156.652	35°33'57.7(Z)	85		27.263	52.763	4.265	1.762
JD13	3322653.795	489511.232	K0+215.290	55°10'48.5(Y)	40		20.903	38.523	5.132	3.282

路面拓宽路段



曲线元素表

交点号	交点坐标		交点桩号	转角值	曲线要素值(米)					
	X(N)	Y(E)			半径	缓和曲线长度	切线长度	曲线长度	外距	校正值
JD14	3322603.476	489434.589	K0+303.693	18°54'17.8"(Z)	200		19.090	38.065	0.909	0.115
JD15	3322545.059	489374.498	K0+387.384	27°50'34.8"(Z)	150		37.181	72.893	4.539	1.469
JD16	3322462.064	489347.586	K0+473.164	32°08'49.6"(Z)	80		23.051	44.886	3.255	1.216
JD17	3322407.430	489361.391	K0+528.299	75°09'06.4"(Y)	18		13.850	23.610	4.712	4.090
JD18	3322399.768	489347.584	K0+540							

■ 路面拓宽路段